



Chemical Metering Pumps
www.sidewinderpumps.com

Sidewinder Pumps Solar Electronic Timer System



Solar Powered Electronic
Timer than can be used with
Sidewinder or other pneumatic
metering chemical pumps.



www.sidewinderpumps.com
info@sidewinderpumps.com
(337) 235-9838

APPLICATIONS

- Solenoid operates with wet and dirty supply gas.
- Will not stall
- Repeatable
- Accurate
- Reliable
- Reduce hydron carbon emissions by eliminating bleed by in timer control valve




FEATURES



- 10-Watt Solar Panel with built in solar charge controller
- 12 volt sealed battery
- Stainless Steel Control box
- Universal mounting bracket
- Solar panel mounts to control box

www.sidewinderpumps.com
info@sidewinderpumps.com
(337) 235-9838

FEATURES



Electronic Timer with digital read out, provides ease of setting pump flow and has port for optional temperature probe

Two settings for volume control

- 0-60 SPM in 1 SPM increments
- 0-60 SPH in 1 SPH increments
- Provides flow rates less than 1 quart per day

Temperature Probe Option for Methanol Applications

- Activates at 40 F
- Shuts off at 50 F

www.sidewinderpumps.com
info@sidewinderpumps.com
(337) 235-9838



Chemical Metering Pumps
www.sidewinderpumps.com

Sidewinder Solar Powered Electronic Timer (SET) provides an alternative to pneumatic metering pump applications where the air/gas supply has excessive moisture and contaminants causing operational problems for the metering pump.

The electronic solenoid provides a reliable, accurate timing function to set the pumpflow rates.

The operational design of the solenoid also eliminates the bleed by experienced by the timer control in barrel style metering pumps. This reduces hydrocarbon emissions to the atmosphere.

For information on the nearest distributor for this product and other Sidewinder Pumps Inc. products visit the Sidewinder website www.sidewinderpumps.com or call Sidewinder at (337) 235-9838 or email to info@sidewinderpumps.com.

